ELEVATION CERTIFIC/ E FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLO. NSURANCE PROGRAM

OMB 3067-007 EXPIRES: JUNE 30 1990

his form is to be used for: 1) Post-FIRM construction only when the base flood information is available Instructions for completing this form can be found	for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM fules. d on the reverse side.
Lity of Casa Grande	
UILDING OWNER'S NAME 1551 N. Thornton Rd.	POLICY NUMBER
TREET ADDRESS	
Mabile Hame pt.A/Unit-U Sulte-S/Bldg.B	ROUTE BOX NUMBER
Dave White Regional Taxk OTHER DESCRIPTION (Block and lot, numbers., etc.)	
Lasa Grande, Arizona 85222	STATE ZIP CODE
If this form is to be completed by a land surveyor, engineer, or architect who is authorize information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is requirer, or the owner's representative should complete the information in Section I and result information in Section I and result information in Section I and result information in Section I are supported by local law or ordinance to provide floodplain management information may	od by state law to certify elevation information when the elevation nuired. In the case of zone AO, the building official, the property nay also complete the certification. Community officials who are
SECTION I BUILDING ELEVATION	N INFORMATION
. Using the Flood Insurance Manual or the NFIP Flood Insurance Application-	-Part 2 Worksheet, indicate the proper diagram number
2. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference leader at the second	evel floor from the selected diagram is at an
FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horiz	ontal structural member of the reference level floor from
the selected diagram is at an elevation offeet NGVD (or other dat the FIRM Zone AO. The floor used as the reference level from the selected diagram.	um-see #5).
the building (also enter in line 8). This value must be equal to or greater the flood depth number is available, is the building's lowest floor (or reference floodplain management ordinances?	level) elevated in accordance with the community's
5. Indicate the elevation datum system used in determining the above referen	ice level elevations: NGVD Other (describe on back)
s. Indicate the elevation datum system used on the FIRM for base flood eleva	ations: XNGVD LiOther (describe on back)
(ATTENTION: If the elevation datum used in measuring the elevations is differer must be converted to the datum system used on the FIRM.)	nt than that used on the FIRM, then the elevations provided
7. Is the reference level based on actual construction? X Yes No* * A "No" answer is only valid if the building does not have the reference letton drawings and do not complete question #8. If "No" is checked, this construction. After construction of the reference level floor is completed, continued flood insurance coverage.	certification will be valid only for buildings in the course of
B. Provide the following measurements using the natural grade next to the bu	uliding (round to the nearest foot). g garage floor (if applicable) is:
	feet
SECTION II FLOOD INSURANCE RAT	E MAP INFORMATION
Provide the following from the proper FIRM (see Instructions on back-Date o	
COMMUNITY NO. PANEL NO. SUFFIX DATE OF FIRM FIRM ZONE	BASE FLOOD ELEV. COMMUNITY ESTIMATED BASE FLOOD
040080 0010 B 4/19/83 AZ	(In A0 Zone, use depth) 1370.00 ELEVATION ESTABLISHED FOR ZONE A OR ZONE V. IF AVAILABLE
Ziovanori vitori	se side for details)
This certification is to be signed by a land surveyor, engineer, or architect who is auth	orized by state law to certify elevation information when the
elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with property owner, or the owner's representative can sign the certification. Community of floodplain management information, may also sign the certification. I certify that the interest available. I understand that any false statement may be punishable by fine or	ficials who are authorized by local law or ordinance to provide formation on this certificate represents my best efforts to interpret
1 N LII. I PE	TEICATE
CERTIFIER'S NAME	21214 LICENSE NUMBER (or Affix Seal) ASA DYANGE MATTHAS ID
TITLE COMPANY NAME 300 E. 4th St. Lasa Grande,	Arizona 85222 6 60169
ADDRESS CITY	6/7/89 4 HOST 600
SIGNATURE	DATE PHONE urance policy application. The second copy should be supplied to the
policyholder and the third copy retained by the agent. The fourth copy is	DUCED.
FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under to YES NO If NO the elevation of the lowest floor isfeet NGVD.	he community's floodplain management ordinances?

ELEVATION CERTIFIC/

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOC

NSURANCE PROGRAM

OMB 3067-007 EXPIRES: JUNE 30 1990

This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side **BUILDING OWNER** STREET ADDRESS **BOX NUMBER** BOUTE OTHER DESCRIPTION (Block and lot numbers., etc. This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by leading the provide fload laid. authorized by local law or ordinance to provide floodplain management information may also complete this form. **BUILDING ELEVATION INFORMATION** SECTION I 1. Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number 2. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1370 lowest NGVD. (or other datum-see #5) 3. FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of _____feet NGVD (or other datum-see #5). 4. FIRM Zone AO. The floor used as the reference level from the selected diagram is LL feet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's 5. Indicate the elevation datum system used in determining the above reference level elevations: NGVD Other (describe on back) 6. Indicate the elevation datum system used on the FIRM for base flood elevations: XNGVD Other (describe on back) (ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.) 7. Is the reference level based on actual construction? XYes \sum No* * A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage. 8. Provide the following measurements using the natural grade next to the building (round to the nearest foot). b. The garage floor (if applicable) is: a. The reference level is: above below (check one) the highest grade. | D | | feet | X above | D below (check one) the highest grade. leet above below (check one) the lowest grade. above below (check one) the lowest grade. **SECTION II** FLOOD INSURANCE RATE MAP INFORMATION Provide the following from the proper FIRM (see Instructions on back-Date of FIRM) and accompanying insurance application: COMMUNITY ESTIMATED BASE FLOOD BASE FLOOD ELEV. COMMUNITY NO. PANEL NO. SUFFIX ELEVATION ESTABLISHED FOR ZONE A 040080 0010 1370.00 No (See reverse side for details) Elevation reference mark used appears on FIRM XYes CERTIFICATION SECTION III This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law floodplain management information, may also sign the certification. I certify that the information on this certificate represents the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code kginance to pro CENSE NUMBER (or Affix Sea ADDRE SIGNATURE The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED. FQR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?

XYES NO If NO the elevation of the lowest floor is_

EXPIRES: JUNE 30 1990

OMB 3067-007 ASUBANCE PROGRAM **FEDERAL EMERGENCY** This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side. BOX NUMBER ROUTE Suite-S/Bldc OTHER DESCRIPTION (Block and lot This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form. **BUILDING ELEVATION INFORMATION** SECTION I 1. Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number 2. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 13 67.92 feet NGVD. (or other datum-see #5) 3. FIBM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of _____feet NGVD (or other datum-see #5). 4. FIRM Zone AO. The floor used as the reference level from the selected diagram is Lifeet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's 5. Indicate the elevation datum system used in determining the above reference level elevations: NGVD Other (describe on back) 6. Indicate the elevation datum system used on the FIRM for base flood elevations: XNGVD Other (describe on back) (ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.) 7. Is the reference level based on actual construction? XYes \(\subseteq No^* \) A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage. 8. Provide the following measurements using the natural grade next to the building (round to the nearest foot). b. The garage floor (if applicable) is: a. The reference level is: above below (check one) the highest grade. below (check one) the highest grade. feet 0 | feet above below (check one) the lowest grade. below (check one) the lowest grade. FLOOD INSURANCE RATE MAP INFORMATION SECTION II Provide the following from the proper FIRM (see Instructions on back-Date of FIRM) and accompanying insurance application: COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A FIRM ZONE COMMUNITY NO PANEL NO. SUFFIX OR ZONE V, IF AVAILABLE 0040080 1371.00 0010 No (See reverse side for details) Elevation reference mark used appears on FIRM XYes CERTIFICATION **SECTION III** This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone, property owner, or the owner's representative can sign the certification. Community officials who are authorized by local few floodplain management information, may also sign the certification. I certify that the information on this certificate representation the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Copy is CERTIFIER'S NAME OMPANY NAME

ADDRE

SIGNATURE The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED.

FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?

XYES NO If NO the elevation of the lowest floor is_

SLEVATION CERTIFICA

SURANCE PROGRAM

FEDERAL EMERC This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules.

Instructions for completing this form can be found on the reverse side.		
(i) F (iii Final)		
City of Casa Brande	POLICY NUMBER	
1551 N. Thornton Kd.		
STREET ADDRESS		
Shop AptA(Unit-U Sulte-S/BidgB) NO. D) ROUTE	BOX NUMBER	
Dave White Regional Tark		
OTHER DESCRIPTION (Block and lot numbers., etc.)		
Casa Brande, AZ 85222	STATE ZIP CODE	
CITY This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to c information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case owner, or the owner's representative should complete the information in Section I and may also complete authorized by local law or ordinance to provide floodplain management information may also complete this	the certification. Community officials who are form.	
SECTION I BUILDING ELEVATION INFORMATIO		
1. Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Workshee	et, indicate the proper diagram number	
2. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the elevation of 1371. 48 feet NGVD. (or other datum-see #5)	e selected diagram is at an	
3. FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural n	nember of the reference level floor from	
the selected diagram is at an elevation offeet NGVD (or other datum-see #5).		
4. FIRM Zone AO. The floor used as the reference level from the selected diagram isfer the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number is available, is the building's lowest floor (or reference level) elevated in floodplain management ordinances?YesNoUnknown	flood depth number listed below, if no	
5. Indicate the elevation datum system used in determining the above reference level elevation	ns:XNGVD Other (describe on back)	
6. Indicate the elevation datum system used on the FIRM for base flood elevations: XINGVD	Under (describe on back)	
(ATTENTION: If the elevation datum used in measuring the elevations is different than that used or must be converted to the datum system used on the FIRM.)	n the FIRM, then the elevations provided	
7. Is the reference level based on actual construction? Yes \(\subseteq \text{No*} \) No* * A "No" answer is only valid if the building does not have the reference level floor in place tion drawings and do not complete question #8. If "No" is checked, this certification will be construction. After construction of the reference level floor is completed, a post-construction continued flood insurance coverage.	be daily office principles in the course of	
8. Provide the following measurements using the natural grade next to the building (round to	the nearest foot).	
a. The relation by a fat.	below (check one) the highest grade.	
ETITIES & GROVE CIRCUIT (SHOOK SHO) WE WANTED	below (check one) the lowest grade.	
SECTION II FLOOD INSURANCE RATE MAP INFORMATION		
Provide the following from the proper FIRM (see Instructions on back-Date of FIRM) and according	ompanying insurance application:	
COMMUNITY NO I PANEL NO I SUFFIX I DATE OF FIRM I FIRM ZONE BASE FLOOD E	LEV. COMMUNITY ESTIMATED BASE FLOOD	
040080 0010 B 4/19/83 A2 1370.0	OR ZONE V, IF AVAILABLE	
Elevation reference mark used appears on FIRM XYes \(\subseteq No (See reverse side for detail)	s)	
SECTION III CERTIFICATION	to certify elevation information when the	
This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In property owner, or the owner's representative can sign the certification. Community officials who are auth floodplain management information, may also sign the certification. I certify that the information on this ce the data available. I understand that any false statement may be punishable by fine or imprisonment under	on the case of zone AO, the building official, the portion of the provide the provide and the provide the provide and the provide and the provide and the provide the provide the provide the provided t	
Norman A. Matthias Jr. P.E. 21214 CERTIFIER'S NAME LICENSE NUMBER	(and alive)	
City Engineer City of Case	grande	
300 E. 4th St. Casa Grande, Ar	55222 219	
3 Ch ly althing > 6/7	189 121-8600 DATE PHONE	
SIGNATURE The insurance agent should attach the original copy of the completed form to the flood insurance policy application policyholder and the third copy retained by the agent. The fourth copy is for the local communication of the control of	tion. The second copy should be supplied to the	
THIS FORM MAY BE REPRODUCED. FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floor.		
YES NO If NO the elevation of the lowest floor isfeet NGVD.	F00 447 (0'07	

EXPIRES: JUNE 30 1990

NSURANCE PROGRAM FEDERAL EMERGENCY MANAGEMENT AGE This form is to be used for: 1) Post-FIRM construction only when the base flood information is available for the building site; and 2) Pre-FIRM buildings rated using Post-FIRM rules. Instructions for completing this form can be found on the reverse side. POLICY NUMBER STREET ADDRESS BOX NUMBER ROUTE OTHER DESCRIPTION (Block and lot numbers., etc.) CITY This form is to be completed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative should complete the information in Section I and may also complete the certification. Community officials who are authorized by local law or ordinance to provide floodplain management information may also complete this form. **BUILDING ELEVATION INFORMATION** SECTION I 1. Using the Flood Insurance Manual or the NFIP Flood Insurance Application—Part 2 Worksheet, indicate the proper diagram number 2. FIRM Zones A1-A30, AE, AH, and A (with BFE). The top of the reference level floor from the selected diagram is at an elevation of 1371,42 feet NGVD. (or other datum-see #5) 3. FIRM Zones V1-V30, VE, and V (with BFE). The bottom of the lowest horizontal structural member of the reference level floor from the selected diagram is at an elevation of _____feet NGVD (or other datum-see #5) 4. FIRM Zone AO. The floor used as the reference level from the selected diagram is LLI feet above highest natural grade next to the building (also enter in line 8). This value must be equal to or greater than the AO Zone flood depth number listed below. If no flood depth number is available, is the building's lowest floor (or reference level) elevated in accordance with the community's floodplain management ordinances? Yes No Unknown 5. Indicate the elevation datum system used in determining the above reference level elevations X NGVD Other (describe on back) 6. Indicate the elevation datum system used on the FIRM for base flood elevations: X NGVD Other (describe on back) (ATTENTION: If the elevation datum used in measuring the elevations is different than that used on the FIRM, then the elevations provided must be converted to the datum system used on the FIRM.) 7. Is the reference level based on actual construction? X Yes \Bullet No* A "No" answer is only valid if the building does not have the reference level floor in place. Fill in the elevation based on construction drawings and do not complete question #8. If "No" is checked, this certification will be valid only for buildings in the course of construction. After construction of the reference level floor is completed, a post-construction elevation certificate will be required for continued flood insurance coverage. 8. Provide the following measurements using the natural grade next to the building (round to the nearest foot). b. The garage floor (if applicable) is: a. The reference level is: [O] | feet above below (check one) the highest grade. feet above below (check one) the highest grade. above below (check one) the lowest grade. feet above below (check one) the lowest grade. FLOOD INSURANCE RATE MAP INFORMATION **SECTION II** Provide the following from the proper FIRM (see Instructions on back-Date of FIRM) and accompanying insurance application: COMMUNITY ESTIMATED BASE FLOOD ELEVATION ESTABLISHED FOR ZONE A OR ZONE V, IF AVAILABLE BASE FLOOD ELEV PANEL NO. SUFFIX FIRM ZONE (In A0 Zone, use depth) *0*40080 0010 No (See reverse side for details) Elevation reference mark used appears on FIRM Yes SECTION III CERTIFICATION This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state law to certify elevation information when the elevation information for zones A1-A30, AE, AH, A(with BFE), V1-V30, VE, and V(with BFE) is required. In the case of zone AO, the building official, the property owner, or the owner's representative can sign the certification. Community officials who are authorized by local law or officials in the certification on this certificate representative can sign the certification. I certify that the information on this certificate representative can sign the certification. floodplain management information, may also sign the certification. I certify that the information on this certificate represent the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code/S man CERTIFIER'S NAME TITLE ADDRESS SIGNATURE The insurance agent should attach the original copy of the completed form to the flood insurance policy application. The second copy should be supplied to the policyholder and the third copy retained by the agent. The fourth copy is for the local community permit office, if required.

THIS FORM MAY BE REPRODUCED.

FOR OPTIONAL COMMUNITY USE: Is the reference level also the lowest floor under the community's floodplain management ordinances?